


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



DEPARTMENT OF AGRICULTURE.

BOTANICAL DIVISION.

BULLETIN NO. 4.

DESIDERATA OF THE HERBARIUM

FOR

NORTH AMERICA, NORTH OF MEXICO.

RANUNCULACEÆ TO ROSACEÆ, INCLUSIVE.

BY

Dr. GEORGE VASEY,


BOTANIST.

PREPARED UNDER THE DIRECTION OF THE COMMISSIONER OF AGRICULTURE.

WASHINGTON:

GOVERNMENT PRINTING OFFICE.

1887.



DEPARTMENT OF AGRICULTURE.

BOTANICAL DIVISION.

BULLETIN NO. 4.

DESIDERATA OF THE HERBARIUM

FOR

NORTH AMERICA, NORTH OF MEXICO.

RANUNCULACEÆ TO ROSACEÆ, INCLUSIVE.

BY

Dr. GEORGE VASEY,


BOTANIST.

PREPARED UNDER THE DIRECTION OF THE COMMISSIONER OF AGRICULTURE.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.

1887.

1770




WASHINGTON, August 1, 1887.

The following list of plants wanted in the Herbarium of the Department of Agriculture is distributed among botanists with the purpose of obtaining specimens.

We shall be greatly obliged by the contribution of any specimens herein named, and will make as far as possible a satisfactory return in exchange.

NORMAN J. COLMAN,
Commissioner.



DESIDERATA OF THE HERBARIUM OF THE U. S. DEPARTMENT
OF AGRICULTURE.

RANUNCULACEÆ TO ROSACEÆ, INCLUSIVE.

[The abbreviations *fl.* and *fr.* indicate that flowering or fruiting specimens are wanted. Introduced species in *italics*.]

- Aconitum novaboracense, Gray.
Anemone nemorosa, L., var. (A. trifolia, L.).
 nudicaulis, Gray.
 Walteri, Pursh.
Aquilegia Jonesii, Parry.
Caltha natans, Pall.
Cimicifuga cordifolia, Pursh.
Clematis Douglasii, Hook., var. Scottii, Coulter.
 holosericea, Pursh.
 ligusticifolia, Nutt., var. bracteata, Sorr.
 ovata, Pursh.
 Virginiana, L., var. bracteata, DC.
Delphinium Andersonii, Gray.
 Parishii, Gray.
 Parryi, Gray.
Isopyrum Hallii, Gray.
 occidentale, Hook. and Arn., fr.
Myosurus alopecuroides, Greene.
 apetalus, var. lepturus, Gray.
Ranunculus abortivus, L., var. Harveyi, Gray.
 acriformis, Gray.
 Bloomeri, Watson.
 circinatus, Sibth.
 hispidus, Mx., DC., Hook., var. Oreganus, Gray.
 hystriculus, Gray.
 Kamtschaticus, DC.
 Lapponicus, L.
 Lobbii, Hiern.
 Macauleyi, Gray.
 occidentalis, Nutt., var. Eiseni, Gray.
 var. Rattani, Gray.
 parvulus, L.

- Thalictrum debile*, Buckl., *fr.*
 Fendleri, Engelm., var. *platycarpum*, Trelease.
 minus, L., var. *Kemense*, Trelease.
Magnolia glauca, L., var. *pumila*, Nutt.
Anona glabra, L.
Cocculus Carolinus, DC., var. *hederaceæfolius*, Miers.
 sagittæfolius, Miers.
Nuphar advena, Ait., var. (?) *minor*, Morong.
 rubrodiscum, Morong.
Nymphaea odorata, Ait.
 var. *reniformis*, T. & G.
Sarracenia purpurea, L., var. *alata*, Wood.
 var. *heterophylla*, Torr.
 rubra, Walt., var. *acuminata*, A. DC.
 Sweetii, A. DC.
 undulata, Decne.
Arctomecon Californicum, Torr.
Argemone corymbosa, Greene.
Eschscholtzia Austinæ, Greene.
 glyptosperma, Greene.
 Mexicana, Greene.
 Parishii, Greene.
 rhombipetala, Greene.
Corydalis Bidwelliæ, Watson.
 Brandegei, Watson.
Dicentra lachenaliæflora, DC.
 pauciflora, Watson.
Arabis Breutelii, Lange.
 canescens, Nutt., var. (?) *stylosa*, Watson.
 repanda, Watson.
Barbara vulgaris, R. Br. var. *strieta*, Regel., *fl.*
Brassica Rapa, L.
Braya Eschscholtziana, B. & H.
 pilosa, Hook.
 rosea, Bunge.
Cardamine spathulata, Michx.
Caulanthus amplexicaulis, Watson.
Cheiranthus pygmæus, Adams.
Dentaria Californica, Watson, var. *pachystigma*, Watscn.
Dentaria maxima, Nutt., *fr.*
Draba alpina, L., var. (?) *corymbosa*, Durand.
 var. (?) *micropetala*, Durand.
 corrugata, Watson.
 rupestris, R. Br.
 ventosa, Gray.
Eutrema Edwardsii, R. Br. *fl.*

- Eutrema Labradoricum*, Turez.
Lepidium Grœnlandicum, Hornem.
 integritifolium, Nutt., var. *heterophyllum*, Watson.
 oxycarpum, T. & G.
 ruderale, L.
Lyrocarpa Palmeri, Watson.
Nasturtium trachycarpum, Gray.
Parrya arctica, R. Br.
 arenicola, Hook. f.
Physaria, Geyeri, Gray., *fl.*
Selenia dissecta, T. & G.
Sisymbrium canescens, Nutt., var. *brachycarpum*, Watson.
 humile, C. A. Meyer., *fr.*
 pauciflorum, Nutt.
 salsugineum, Pall.
Stanleya tomentosa, Parry.
Streptanthus diversifolius, Watson.
 flavescens, Hook.
 Howellii, Watson, *fr.*
Streptanthus maculatus, Nutt.
 niger, Greene.
 peramœnus, Greene.
 repandus, Nutt.
Synthlipsis Berlandieri, var. *hispida*, Watson.
Thelypodium Cooperi, Watson, *fl.*
 flavescens, Watson.
 neglectum, Jones.
Thlaspi Californicum, Watson.
Thysanocarpus erectus, Watson.
Vesicaria argentea, Schauer.
 auriculata, Engelm. & Gray.
 Berlandieri, Gray.
 Kingii, Watson.
 lasiocarpa, Hook., *fr.*
 Lindheimeri, Gray.
 Nuttallii, T. & G.
 pallida, T. & G.
 purpurea, Gray, var. *albiflora*, Gray, *fr.*
Warea amplexifolia, Nutt.
Cleome sparsifolia, Watson, *fl.*
Cleomella oocarpa, Gray.
Oxystylis lutea, Torr.
Lechea Torreyi, Leggett.
Viola blanda, Willd., var. *palustriiformis*, Gray.
 hasta, Michx., var. *tripartita*, Gray.
 præmorsa, Dougl.

- Viola primulifolia*, L., var. *occidentalis*, Gray
trinervata, Howell.
Amoreuxia malvæfolia, Gray (Mex.).
Polygala acanthoclada, Gray.
 Chapmanii, T. & G.
 Reynoldsæ, Chapman.
Arenaria ciliata, L., var. *humifusa*, Hornem.
 palustris, Watson, *fr.*
 pumilio, R. Br.
 scabrella, Greene, *fr.*
Cerastium alpinum, L., var. (?) *uniflorum*, Durand.
quaternellum, Fenzl.
 sericeum, Watson.
Drymaria holostoides, Benth. (L. Cal.).
 nodosa, Engelm. (Mex.).
 xerophylla, Gray (Mex.).
Lepigonum medium, Fries., var. *macrocarpum*, Watson.
Lychnis apetala, L., var. *glabra*, Regel.
 elata, Watson.
 Kingii, Watson, *fr.*
 Parryi, Watson.
Sagina crassicaulis, Watson.
Silene antirrhina, L., var. *linaria*, Wood.
 Bridgesii, Rohrb.
 Grayi, Watson.
 incompta, Gray.
 ovata, Pursh.
 plicata, Watson.
 Sargentii, Watson.
Stellaria dianthoides, Fenzl.
 longipes, Goldie, var. *læta*, T. & G.
 var. *peduncularis*, Fenzl.
 macropetala, T. & G.
 obtusa, Eug.
 ruscifolia, Willd.
Calandrinia Cotyledon, Watson.
 maritima, Nutt.
 oppositifolia, Watson.
Calyptodium quadripetalum, Watson.
Claytonia ambigua, Watson.
Spraguea paniculata, Kellogg.
Talinum brevifolium, Torr.
 humile, Greene.
Fouquieria formosa, H. B. K., *fr.*
Elodea petiolata, Pursh, fl.
Hypericum adpressum, Barton, *fr.*

- Hypericum Canadensis*, L., var. *minimum*, Chois.
 graveolens, Buckl., *fr.*
- Abutilon Indicum*, Don., var. *hirtum*, Griseb.
 Jaquini, Don.
 Parishii, Watson.
 Thurberi, Gray.
- Anoda reticulata*, Watson.
 Arizonica, Gray.
- Fugosia Drummondii*, Gray.
- Hibiscus coccineus*, Walt., var. *integrifolius*, Chapm.
 denudatus, Benth.
- Kosteletzkyia Virginica*, Gray., var. *smilacifolia*, Chapm.
- Lavatera assurgentiflora*, Kellogg, *fr.*
 insularis, Watson.
- Malva crispa*, L.
- Malvastrum Coulteri*, Watson.
 Fremonti, Torr.
- Pavonia hastata*, Cav.
- Sida cuneifolia*, Gray.
- Sidalcea asprella*, Greene.
 Hartwegi, Gray.
 spicata, Greene.
- Sphaeralcea Lindheimeri*, Gray.
- Wissadula mucronulata*, Gray.
- Linum Californicum*, Benth., *fl.*
 congestum, Gray.
 drymariooides, Curran.
 Greggii, Engelm. (Mex.).
- Hiraea septentrionalis*, Juss., var. *Coulteri*, Gray.
 sericea, Engelm. (Mex.).
- Janusia Californica*, Benth. (L. Cal.).
- Guaiacum Coulteri*, Gray (Mex.).
 sanetum, L., var. *parvifolium*, Nutt.
- Geranium gracile*, Engelm. (Mex.).
- Oxalis Berlandieri*, Torr.
- Ptelia aptera*, Parry (L. Cal.).
 Baldwinii, T. & G.
- Xanthoxylum Clava-Herculis*, L., var. *fruticosum*, Gray.
- Ilex Amelanchier*, M. A. Curtis.
 lanceolata, Chapman.
 verticillata, Gray, var. *tenuifolia*, Torr.
- Euonymus Americanus*, L., var. *angustifolius*, Wood.
 var. *ovobatus*, T. & G.
 var. *sarmentosus*, Nutt.
- Ceanothus cordulatus*, Kellogg, *fr.*
 crassifolius, var. *glabratius*, Gray.

- Ceanothus decumbens*, Watson, *fr.*
divaricatus, var. *grosse-serratus.*, Torr.
floribundus, Hook.
hirsutus, Nutt.
integerrimus Hook., & Arn., var. *parvifolius*, Watson.
serpyllifolius, Nutt.
thyrsiflorus, Esch., var. (?) *macrothyrsus*, Torr.
Veitchianus, Hook.
Sageretia Wrightii, Watson.
Vitis cordifolia, Lam., var. *fœtida*, Engelm.
Cardiospermum tortuosum, Benth. (L. Cal.).
Paullinia subalata, Gray.
Serjania incisa, Torr.
racemosa, Schum.
Staphylea Bolanderi, Gray, *fl.*
Urvillea Mexicana, Gray.
Pistacia Mexicana, H. B. K., *fl.*
Rhus copallina, L., var. *Ieucantha*, DC., *fr.*
ovata, Watson.
Toxicodendron, L., var. *microcarpon*, Michx.
Acacia amentacea, DC., *fr.*
malacophylla, Benth., *fr.*
Schottii, Torr.
Amorpha canescens, var. *glabrata*, Gray.
var. leptostachya, Engelm.
Astragalus acutirostris, Watson.
ampullarius, Watson, *fl.*
aridus, Gray.
Antiselli, Gray.
artipes, Gray.
Bolanderi, Gray.
Breweri, Gray.
Californicus, Greene.
calyceosus, Gray, *fr.*
candicans, Greene.
candidissimus, Watson (L. Cal.).
Clevelandi, Greene.
collinus, Dougl., var. *Californicus*, Gray.
Congdoni, Watson.
Cooperi, Gray, *fr.*
Crotalariae, Gray, var. *virgatus*, Gray.
debilis, Gray.
Douglasii, Gray.
flavus, var. *candicans*, Gray.
frigidus, var. *littoralis*, Watson.
giganteus, Watson.

- Astragalus Gilensis*, Greene.
glaber, Michx., *fr.*
glareosus, Dougl., *fr.*
gracilentus, Gray.
grandiflorus, Watson.
Grayi, Parry.
Greenei, Gray.
hypoxylus, Watson.
lancearius, Gray.
Layneæ, Greene, *fl.*
lentiformis, Gray.
Lyallii, Gray.
macrodon, Gray.
megacarpus, Gray.
miser, Dougl., *fr.*
Mogollonicus, Greene.
nigrescens, Nutt.
nothoxys, Gray.
nudus, Watson, *fr.*
Oreganus, Nutt.
oxyphysus, Gray.
pachypus, Greene.
Palliseri, Gray.
Palmeri, Gray.
polaris, Benth.
pubentissimus, T. & G.
Rattani, Gray.
recurvus, Greene.
terminalis, Watson.
tetrapterus, Watson.
trichopodus, Gray.
triphyllus, Pursh.
triquetrus, Gray.
troglodytus, Watson.
vaccarum, Gray, *fr.*
ventorum, Gray.
vestitus, Watson (L. Cal.).
Whitneyi, Gray.
Baptisia australis, R. Br., var. *minor*, T. & G.
calycosa, Canby, *fr.*
lanceolata, var. *uniflora*, T. & G.
megacarpa, Chapman, *fr.*
microphylla, Nutt., var. *axillaris*, Canby.
perfoliata, R. Br., var. *lobata*, Canby.
Serenæ, Curtis., *fl.*
sulphurea, Engelm.

- Baptisia villosa, Nutt., *fl.*
 Bauhinia lunarioides, Gray.
 Brongniartia minutifolia, Watson.
 Calliandra Californica, Benth. (L. Cal.).
 Schottii, Torr.
 Cassia, acutifolia, Gray.
 calycioides, DC.
 grammica, Spreng.
 Chapmania Floridana, T. & G., *fr.*
 Cracca sericea, Gray, *fr.*
 Crotalaria maritima, Chapman.
 Pringlei, Gray.
 Dalea amœna, Watson, *fr.*
 arborescens, Torr.
 canescens, Benth. (L. Cal.).
 divaricata, Benth. (L. Cal.).
 Fremontii, Torr., *fr.*
 Kingii, Watson.
 polyadenia, Torr., var. (?) subnuda, Watson.
 scariosa, Watson.
 Desmanthus brachylobus, Benth., var. glandulosus, Engelm. &
 Gray.
 obtusus, Watson.
 Desmodium Arizonicum, Watson.
 Canadense, D C., var. longifolium, T. & G.
 glabellum, D C.
 paniculatum, D C., var. angustifolium, T. & G.
 var. pubens, T. & G.
 Galactia, bracypoda, T. & G.
 canescens, Benth., *fr.*
 filiformis, Benth.
 Floridana, T. & G., var. microphylla, Chapman.
 pilosa, Ell., var. angustifolia, T. & G.
 var. Macraei, T. & G.
 Gleditschia tricanthos, L., var. brachycarpus, Michx.
 Hoffmanseggia caudata, Gray, *fl.*
 Drummondii, T. & G.
 gladiata, Benth. (Mex.).
 platyarpa, Benth. (Mex.).
 Hosackia glabra, Torr., var. diffusus, Gray.
 macrantha, Greene.
 mollis, Greene.
 nana, Watson.
 procumbens, Greene.
 stipularis, Benth.
 Lathyrus Cusickii, Watson, *fr.*

- Lathyrus Engelmanni*, Bischof.
Lespedeza capitata, Michx., var. *longifolia*, T. & G.
 leptostachya, Engelm.
Lupinus Andersoni, Watson, *fr.*
 var. (?) *Grayi*, Watson.
arcticus, Watson, *fr.*
aridus, Dougl., var. *Lobbii*, Watson.
barbiger, Watson, *fr.*
calcaratus, Kellogg, *fr.*
Chamissonis, Esch., *fr.*
 var. *longebracteatus*, Watson.
citrinus, Kellogg.
flexuosus, Lindl.
Havardi, Watson.
lepidus, Dougl., *fr.*
Lupinus leptophyllus, Benth., *fr.*
Ludovicianus, Greene.
micranthus, Dougl.
 var. *microphyllus*, Watson.
minimus, Dougl., *fr.*
Nootkatensis, Donn, var. *Unalaskensis*, Watson.
Nuttallii, Watson.
onustus, Watson, *fr.*
perennis, L., var. *occidentalis*, Watson.
Plattensis, Watson.
sparsiflorus, Benth., *fr.*
Stiveri, Kellogg.
Wyethii, Watson.
Medicago intertexta, Willd.
nigra, Willd.
Mimosa Berlandieri, Gray.
Emoryana, Benth.
flexuosa, Benth., *fr.*
malacophylla, Gray, *fl.*
Wrightii, Gray, *fr.*
Zygophylla, Benth., *fr.*
Neptunia oleracea, Lour.
tenuis, Benth.
Oxytropis Lamberti, Pursh, var. *Bigelovii*, Gray.
leucantha, Pers.
Mertensiana, Turez.
nigrescens, Fisch., var. *arctobia*, Gray.
splendens, Dougl., var. *Richardsoni*, Hook.
Petalostemon carneus, Michx.
 flavescent, Watson, *fr.*
gracilis, Nutt., var. *oligophyllus*, Torr.

- Petalostemon griseus, T. & G.
 Sabinalis, Watson.
- Peteria scoparia, Gray, *fr.*
- Phaseolus parvulus, Greene.
- Pithecolobium brevifolium, Benth., *fl.*
- Prosopis (?) heterophylla, Benth. (Mex.).
- Psoralea Californica, Watson.
 campestris, Nutt.
 fruticosa, Kellogg.
 mierantha, Gray.
 multijuga, Ell.
 stipulata, T. & G.
 strobilina, Hook. & Arn.
 tenuiflora, Pursh, var. obtusiloba, Watson.
- Rhynchosia Caribæ, D C.
 mollissima, Shuttlew.
- Robinia hispida, L., var. Elliottii, Chapman.
 var. macrophylla, D C.
 var. nana, Ell., *fr.*
 var. rosea, Pursh.
- Pseudacacia, L., var. Decaisneana, Carriére.
- Schrankia platycarpa, Gray, *fr.*
- Sesbania (?) Thurberi, Watson.
- Sophora Arizonica, Watson, *fr.*
- Tephrosia chrysophylla, Pursh, *fl.*
 Virginiana, Pers., var. holosericea, T. & G.
- Trifolium longipes, Nutt., var. (?) brachypus, Watson.
- Vicia leucophæa, Greene, *fr.*
- Vigna luteola, Benth., var. angustifolia, Watson.
- Agrimonia Eupatoria, L., var. parviflora, Hook.
- Amelanchier Canadensis, T. & G., var. oligocarpa, T. & G., *fr.*
 var. rotundifolia, T. & G.
- Cercocarpus breviflorus, Gray, *fr.*
 fothergilloides, H. B. K. (Mex.).
- Cowania ericæfolia, Torr., *fr.*
 Havardi, Watson.
- Crataegus coccinea, L., var. oligandra, T. & G.
 var. populifolia, T. & G.
- Crus-galli, L., var. linearis, DC.
 var. ovalifolia, Lindl.
 var. prunifolia, T. & G.
 var. pyracanthifolia, Ait.
- Geum calthifolium, Menzies., var. congestum, T. & G.
 var. rotundifolium, T. & G., *fr.*
 urbanum, L., subsp. Oregonense, Scheutz.
- Horkelia Bolanderi, Gray.

- Horkelina capitata*, Lindl.
Ivesia Gordoni, T. & G., var. *lycopodioides*, Watson.
 gracilis, T. & G.
 Lemmoni, Watson.
 Muirii, Gray.
Lyonothamnus asplenifolius, Greene.
 floribundus, Gray.
Neillia opulifolia, B. & H., var. *ferruginea*, Watson.
Pirus Americana, DC., var. *microcarpa*, T. & G.
 arbutiflora, L. f., var. *macrophylla*, Hook.
 rivularis, Dougl., var. *lævigata*, Engelm.
Potentilla arguta, Pursh, var. *ferruginea*, Lehm.
 dissecta Pursh, var (?) *decurrans*, Watson.
 effusa, Dougl., var. *gossypina*, T. & G.
 glandulosa, Lindl., var. *incisa*, Lindl.
 Grayi, Watson.
 Hookeriana, Lehm.
 nemoralis, Nestler.
Pennsylvanica, L., var. *arachnoidea*, Lehm.
 var. *glabrata*, Watson.
 pulchella, R. Br.
 supina, L., var. *Nicolletii*, Watson.
Prunus Alleghaniensis, Porter.
Purshia glandulosa, Curran.
Rosa gymnocarpa, Nutt., var. *pubescens*, Watson.
 humilis, Marsh.
 Woodsii, Lindl.
Rubus Nutkanus, Moc., var. *Nuttallii*, T. & G.
 trilobus, Moc.
Spiraea cæspitosa, Nutt., var. *elatior*, Watson, *fr.*
 Douglasii, Hook., var. *Nobleana*, Watson.
 Kamtschatica, Pallas.
Waldsteinia lobata, T. & G.



